

Product Description



Laptop AC Adapter für [ASUS](#) 19V 2.1 a

Eingang (Eingang): 100-240V (universell)

Ausgang (Ausgang): Spannung: 19V Strom: 2.1 a

Features:

1. Ausgang Kurzschluss Schutz
2. Überlast Überspannungsschutz Filter
3. die Verwendung importierter Bauteile, hohe Zuverlässigkeit
4. gute Anti-Jamming-Fähigkeit
5. DC Ripple, High Efficiency
6. niedrige Temperaturen, lange Lebensdauer
7. die Breite Eingangsspannung Bereich, im Einklang mit dem globalen Standard
8. gute Isolation-Eigenschaften, hohes dk-Stärke
9. Kurzschluss, Überlast, Überspannungsschutz
10. Full Load Hochtemperatur Burn-in, 100% Burn-in Test

Product Picture









ASUS

AC ADAPTER 交流适配器/电源适配器
MODEL: 型号/型號 EXA0901XH
INPUT: 輸入/輸入 100-240V~ 50-60Hz 1.0A
OUTPUT: 輸出/輸出 19V 2.1A

WARNING: 注意: 警告
RISK OF ELECTRIC SHOCK DO NOT OPEN
高壓危險, 請勿拆蓋
For Indoor Use Only
此類產品僅供室內/室內產品
SOLO PARA USO DE EQUIPO DE INFORMÁTICA

SAFETY MARK
090230-11

UL US LISTED
E132088
LEVEL 3
I.T.E. POWER SUPPLY

GS N136 AR46
Q090038

R33275

Manufacturer: DELTA ELECTRONICS (JIANG SU), LTD.
MADE IN CHINA 中國製造/中國製造 (D) FJ-2



9X0376200YGU REV:A02

CE CCC V N 10



ASUS
AC ADAPTER L 2 2 C B / V E R 4 0 8
MODEL: 9X03762A001000
INPUT: AC 100-240V, 50-60Hz, 1.5A
OUTPUT: 19.0V 2.1A

SAFETY
DANGER
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.

WARNING: 2. 0-4-0
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.
DO NOT TOUCH THE SURFACE OF THE ADAPTER WHEN IT IS HOT.

UL LISTED
100% COPPER
WIRE
100% POLYESTER
CABLE
100% RECYCLED
PLASTIC
CASE

GS
N136 AMR
Q999038

332273
R&T, DEXTER, AND CO.
MANUFACTURED BY R&T, DEXTER, AND CO.
MADE IN CHINA FORM/REV: 2.007.20

CE CC V N 10

9X0376200YGU REV:A02