

Produktgröße: 151 * 145 * 19,5 mm

Material: Schale aus ABS-Kunststoff + Aluminiumlegierung

- 1) Standard Start Übertragung, Abwärtskompatibilität USB2.0, unterstützt die Top 5 GBPS Datenübertragungsrate
- 2) unterstützt Windows2K / 2003 / XP / Vista / 7, Linux, Mac OS 10.
- 3) Unterstützung von 1,5 Gbps SATA Schnittstellenstandard, ich unterstütze die höchsten 3,0 Gbps SATA - II Schnittstellenstandards.
- 4) unterstützt die INIC3609-Methoden im Energiesparmodus, um Energie zu sparen, kompatibel mit guter Leistung.
- 5) gelten für alle Arten von Marke 12,7 mm SATA DVD RW-Maschine.
- 6) Standard-USB siehe Micro Type.

Produkteigenschaften:

- 1, mit INIC3609 / INIC3619 Schema
- 2, siehe die Mini-Schnittstelle
- 3, Aluminium-Shell-Design, eine Vielzahl von Farbauswahl
- 4, eingebaute neue Standard 9,5 mm Bewegung, 2 MB Cache.







External ODD&HDD Device
Model NO.: ODP1202
POWER SUPPLY: DC 5V


MADE IN CHINA

CLASS I LASER PRODUCT
LASER CLASS: I

WARNING: LASER RADIATION
DO NOT STARE INTO BEAM OR POINT AT OTHERS
DO NOT USE WITH FLAMMABLE OR VOLATILE LIQUIDS
DO NOT OPEN THE FRONT COVER WHEN THE DEVICE IS ON
DO NOT OPEN THE FRONT COVER WHEN THE DEVICE IS ON
DO NOT OPEN THE FRONT COVER WHEN THE DEVICE IS ON

EXTERNAL ODD & HDD DEVICE

光驱/硬盘互换



搭配底座，通过推出按钮推出光驱或硬盘盒，方便光驱和硬盘盒互换安装。
适用标准12.7mm SATA机芯 / 光驱位硬盘托架装配。
规格：35*13mm 加电DC接口。



ODP1202-SU3 金色