

## Product Description



Adaptador de CA para [Acer](#) 19.5 v 3.34 a de China [esunvalley](#) proveedor

Entrada (entrada): 100-240V (universal)

Salida (salida): voltaje: 19.5 v actual: 3.34 a

Características:

1. protección del cortocircuito de la salida
2. sobrecarga filtro de protección de sobretensión
3. el uso de los componentes importados, alta confiabilidad
4. buena capacidad anti-jamming
5. ondulación de la c.c., eficacia alta
6. baja temperatura, vida de servicio larga
7. la gama ancha del voltaje de entrada, conforme al estándar global
8. buenas características del aislamiento, alta fuerza dieléctrica
9. cortocircuito, sobrecarga, protección de la sobretensión
10. Burn-in de alta temperatura de la carga completa, 100% prueba de Burn-in

## Product Picture







PA-90195D  
Replacement AC Adapter

INPUT: A: 100-240V ~ 1.3-0.6A  
50/60Hz  
OUTPUT: 19.5V ~ 3.34A  
標記 3892A300  
N1650

WARNING:  
(This device may not cause harmful  
interference and  
this device must accept any interference  
received, including interference that may  
cause undesired operation.)

MADE IN CHINA



Replacement AC Adapter

PA-90195D

INPUT(輸入):100-240V-1.3-0.6A  
50/60Hz

OUTPUT(輸出):19.5V= 3.34A  
検電3892A300



WARNING:  
(1) this device may not cause harmful interference, and  
(2) this device must accept any interference that may be received, including interference that may cause undesired operation.



MADE IN CHINA





