

## Product Description



AC Adapter for [ACER](#) 19V 3.42A 65W 5.5X1.7mm from [China esunvalley supplier](#)

Input (input): 100-240V (universal)

Output (output): Voltage: 19V Current: 3.42A

Power (power): 65W

Interface: 5.5\*1.7mm

DELL Latitude D800,Inspiron 8500m,8600m battery

DELL Latitude Ls,Inspiron 2100/2800 battery

dopod 565 Silicon Case

NOKIA 7610 silicon case

NOKIA 7260 silicon case

Nokia 3230 Silicon Case

NOKIA 6630 silicon case

Sony Ericsson K750 Silicon Case

NOKIA 7250 silicon case

NOKIA 1100 silicon case

Features:

1. Output short circuit protection
2. overload overvoltage protection filter
3. The use of imported components, high reliability
4. Good anti-jamming capability
5. DC ripple, high efficiency
6. Low temperature, long service life
7. The wide input voltage range, in line with the global standard
8. good insulation properties, high dielectric strength
9. Short circuit, overload, overvoltage protection
10. Full load high temperature burn-in, 100% burn-in test

## Product Picture





**LITEON**

LITE-ON TECHNOLOGY CORPORATION

(电源适配器) AC ADAPTER

(型号/型號) MODEL: PA-1650-02

(输入/輸入) INPUT: 100-240V ~ 1.6A 50-60Hz

(输出/輸出) OUTPUT: 19V 3.42A LPS 65W

CAUTION(警告): 仅限用于信息技术设备室内使用!

FOR USE WITH INFORMATION TECHNOLOGY EQUIPMENT ONLY.

UTILISER AVSEC OÙ MATÉRIEL INFORMATIQUE SEULEMENT.

ENGSTYCK FÖR KONTORSMASKIN

APPARATEN SKALL ANSLUTAS TILL JORDAT

UTTAG NÅR DEN ANSLUTS TILL ETT MATVEK.

EFFICIENCY LEVEL ②

ATL CONTROL SYSTEMS  
MODEL: PA-1650-02  
INPUT: 100-240V 50-60Hz 1.6A  
OUTPUT: 19V 3.42A  
LPS  
DC-E-L48-001.31  
中国製造/中國製造

SP  
LR65166C R33275 LITE LISTED  
LEVEL 3  
POWER SUPPLY

N S D FI

CE

PC N136

DC-E-L48-001.31

SAFETY MARK 031036-00

(中国製造/中國製造) MADE IN CHINA (B)

**acer**

GS

TT505 N18152

Rev.:A05  
9809107351

AC

FJ

