

Product Description



- (1) material del recinto: ABS del favorable-ambiente
- (2) colores opcionales: plateado
- (3) tamaño: 141 * 147 * 18 milímetro
- (4) Peso: 170
- (5) puede ser monta el 12,7 mm DVD/Combo/CDROM
- (6) varios colores para su eligen
- (7) ayuda Window2K/XP/2003/Vista/7, Linux, Mac 10 os.

Product Picture





USB3.0 SLIM DRIVE
 MODEL NO. : ECD308-SAU3
 POWER SUPPLY: DC 5V
 CLASS I LASER PRODUCT
 LASER KLASSE I

FUNCTION CLASS I LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 CAUTION CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 WARNING CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 CAUTION CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 WARNING CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.

INDICATED CLASS I LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 CAUTION CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 WARNING CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.

INDICATED CLASS I LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 CAUTION CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 WARNING CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.

INDICATED CLASS I LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 CAUTION CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
 WARNING CLASS II LASER PRODUCT. LASER EMISSION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.

MADE IN CHINA





Data Port

Power Port





USB 3.0

DVD
R/RW

RW
DVD-RW/RW

Blu-ray
Disc
BD-R/BD-RE