

ECD916-C Unidad óptica externa con tipo C y & Interfaz tipo A

1. Interfaz USB / Tipo-C a SATA
2. Aplicar a 9.5MM CDROM / DVDRW / COMBO
3. Material del recinto: plástico ABS
4. Color: negro
5. Tamaño del producto: 149 * 139.5 * 15 mm
6. Certificaciones: FCC / CE / RoHS
7. Uso del programa INIC3609 y buena compatibilidad
8. Admite Window2K / XP / 2003 / Vista / Wins7 / 8/10, Linux, Mac 10 OS y superior.
9. Soporta estándar de transferencia USB3.0 (tipo micro), compatible con USB2.0, y velocidad de transmisión de datos de hasta 5 Gbps.
10. USB estándar USB2.0 / Type-C Tipo de interfaz, con una interfaz de potencia adicional
11. cable estándar tipo C, independientemente de la dirección positiva y negativa, puede enchufar directamente en el puerto de la computadora tipo C, lo que mejora la facilidad de uso de la computadora.









Model NO. ECDD16-C
External ODD Device
POWER SUPPLY: DC 5V
CE
FCC

WARNING: This device is not to be used in aircraft or other aircraft-related equipment. Use of this device in aircraft may interfere with the operation of the aircraft's navigation and communication systems. Use of this device in aircraft is prohibited. This device is not to be used in motor vehicles or other vehicles. Use of this device in vehicles may interfere with the operation of the vehicle's navigation and communication systems. Use of this device in vehicles is prohibited. This device is not to be used in medical equipment or other life-supporting equipment. Use of this device in such equipment may interfere with the operation of the equipment. Use of this device in such equipment is prohibited. This device is not to be used in any other environment where its use may be hazardous to human health or safety. Use of this device in such environments is prohibited.

External ODD Device

