

Prezzo di fabbrica poco costoso 2.5inch
SATA3 128GB hard drive disk ssd oem

128G

New Era of SSD

Fast read and write Read speed up to 490MB / S	Intel Chip Fast and stable Extend Life Span	SMI Control Powerful combination Powerful performance	Three-year renewal Best After-Sales Services
---	---	---	--



The image shows a gold-colored 2.5-inch SATA3 SSD. The top surface is brushed metal and features the 'deepFOX' logo in a white, stylized font. The drive is shown from a slightly elevated angle, highlighting its slim profile and the SATA connector on the bottom edge.

04

-30 degrees, Low Temperature Test

Withstand low temperatures of -30 degrees continuous test



M667
128G

Product Show



03

70° High temperature test

Withstand continuous high temperature test

deepFOX



05

As steady as Mount Tai Anti-knock

No mechanical parts, therefore the mechanical failure will not occur

Anti Impact, Shock and Vibration



06

Ultra-low power consumption

Nanometer chips made using new and better power consumption,
longer standby time

DEEFOX





nome del prodotto	Elegante SSD da 128GB
Marca	Deepfox
Modello	M667
Colore	Dorato
Tipo	SSD
Stile	SSD
patata fritta	Intel Chip
Velocità di lettura	Velocità di lettura fino a 490MB / S
Basso Temperatura di prova	-30 Gradi
Alta temperatura di prova	70 gradi
Ultra-Slim Corpo	7 millimetri
Dimensione	2,5 pollici
SSD Capacità	128G
Tipo di interfaccia	SATA
La tua candidatura per	Computer portatile
Garanzia	3 anni di rinnovo
Luogo d'origine	Cina

Descrizione del prodotto

Modello M667 Più 128GB

Controllo truciolo SMI2246

Tipo di interfaccia SATA 3.0

Strumento di memorizzazione MLC-NAND Flash

Dimensioni 100mmx68.95mmx6.8mm (2,5 pollici) Resistenza agli urti 1500G0 & amp; .5ms (metà sinusoidale) Velocità di lettura massima 502MB / s

Scrittura Velocità massima 200 MB / s

Capacità 128 / GB

Accesso 4KB Random (QD 32) Numero massimo di 94.000 IOPS

4KB casuali write (QD 32) Numero massimo di 35.000 IOPS

4KB accesso casuale (QD 1) Massimo 10.000 IOPS

4KB casuali scrittura (QD 1) Massimo 33.000 IOPS

Dimensioni del prodotto: 3.9 x 0.3 x 2.7 pollici; 2.4 once