

## Product Description



Laptop AC Adapter per [ASUS](#) 19V 2.1 a  
Ingresso (ingresso): 100-240V (universale)  
Uscita (uscita): tensione: 19V Corrente: 2.1 a  
Caratteristiche:

1. protezione di cortocircuito dell'uscita
2. filtro di protezione contro sovratensioni di sovraccarico
3. l'uso di componenti importati, alta affidabilità
4. buona capacità anti-jamming
5. ondulazione di CC, alta efficienza
6. bassa temperatura, lunga durata di servizio
7. l'ampio range di tensione in ingresso, in linea con lo standard globale
8. buone proprietà dell'isolamento, alta resistenza dielettrica
9. cortocircuito, sovraccarico, protezione di sovratensione
10. Burn-in ad alta temperatura a pieno carico, 100% Burn-in prova

## Product Picture









**ASUS**

AC ADAPTER 交流适配器/电源适配器  
MODEL: 型号/型號 EXA0901XH  
INPUT: 輸入/輸入 100-240V~ 50-60Hz 1.0A  
OUTPUT: 輸出/輸出 19V 2.1A

**WARNING:** 注意: ⚠️  
RISK OF ELECTRIC SHOCK DO NOT OPEN  
高壓危險, 請勿拆蓋  
For Indoor Use Only  
此類產品僅供室內/建築內使用  
SOLO PARA USO DE EQUIPO DE INFORMÁTICA

SAFETY MARK  
090230-11

UL US LISTED E132088 LEVEL 3 I.T.E. POWER SUPPLY

GS N136 AR46 Q090038

JET 九龍試驗社

R33275

Manufacturer: DELTA ELECTRONICS (JIANG SU), LTD.  
MADE IN CHINA 中國製造/中國製造 (D) FJ-2



9X0376200YGU REV:A02

CE CCC V N 10



**ASUS**  
AC ADAPTER L 2 2 C B / V E R 4 0 8  
MODEL: 9X0376200Y00  
INPUT: AC 100-240V, 50-60Hz, 1.5A  
OUTPUT: 19.0V 2.1A

**WARNING:** Do not use the AC adapter with a power source other than the one specified. Do not use the AC adapter with a power source other than the one specified. Do not use the AC adapter with a power source other than the one specified.

**SAFETY:** Do not touch the AC adapter when it is plugged into a power source. Do not touch the AC adapter when it is plugged into a power source. Do not touch the AC adapter when it is plugged into a power source.

UL, CE, FCC, GS, NIS, PSE, RoHS, REACH, WEEE, R32273, 9X0376200Y00, MADE IN CHINA, POWER, REV: A02

9X0376200Y00 REV:A02