

Super Multi 12.7 mm 8x vassoio SATA Caricamento interno DVDRW Burner Drive per UJ8E1

DVD Writer Drive che supporta tutti i formati DVD registrabili e riscrivibili esistenti è il più comune per PC desktop e laptop. Ci sono anche l'unità DVD-ROM, unità BD-ROM, Blu-ray Disc combo (BD-ROM/DVD $\pm$ RW/CD-RW), e blu-ray Disc Writer Drive.

Questo DVD con il modello no. UJ8E1 è un prodotto molto popolare che si inserisce nella maggior parte dei modelli di marche con 12.7 mm.

	E-sun Technology group Co.,Ltd	
Model	UJ8E1	
Type	DVDRW / DVD RW / DVD Burner	
Interface	SATA	
Thickness	12.7mm	
Style	Internal	
Load type	Tray load	
Buffer size	2MB	
Specification	Size(L*W*H)	128*12.7*129mm
	Weight	300g
System requirement Windows XP sp2 or sp3(update software is coming with the product),Win vista, Win 7, Mac OS8.6 or more high		
Reading speeded:		
DVD-ROM:Max 8X		
CD-ROM :Max 24X		
Writing speed:		
CD-R :Max.24X		
CD-RW :16X		
Working parameters	DVD-R :Max.8X	
	DVD-R DL :Max.4X	
	DVD-RW :Max.6X	
	DVD+R :Max.8X	
	DVD+R DL :Max.4X	
	DVD+RW :Max.8X	
	DVD-RAM :3X-5X PCAV (4.7GB)	





MODEL UJ8E1
+5V=1.5A

COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21 CFR SUBCHAPTER J, 130P-9Q
Panasonic Precision Devices Co., Ltd.
1080 Takano Nagano-Machi Tamana-Gun Kumamoto, Japan



UL
E204940



Made in China



D33083
Factory: C2

CLASS 1 LASER PRODUCT
LASER-KLASSE 1 类激光产品



1. 71710 영점오류명: UJ8E1
2. 품목명: KIC-REM-PPD-UJ8E1
3. 인증 받은 자의 상호: Panasonic Precision Devices Co., Ltd.
4. 제조 년월일: NAME PLATE
5. 제조지(제조국): PPRDCHINA

BSH 6095002223BH

CAUTION: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
ATTENTION: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
VORSICHT: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
ADVARSEL: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
VAROITUS: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.
ALARM: CLASS 1 LASER PRODUCT. LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO THE BEAM.

MANUFACTURED : JANUARY 2013

FW:1.00

HW:1.00