

## Product Description



- 1) Working frequency: 50 to 60 hz
  - 2) Power supply: 5 v / 1 a
  - 3) Power: 5 w (maximum)
  - 4) Working temperature: 0 to 30 °C
  - 5) Shell material: aluminum alloy
  - 1) Height 9mm
  - 2) interface: SATA(ODD) -13Pin (6+7)(HDD) ,Supports SATA - I/SATA - / SATA II - III standard.Support the highest transmission rate 6 GBPS. 3) Bezel:can meet the original.
  - 4) Size(L\*W\*H):130\*127\*9mm
  - 5) Same as the common optical driver
  - 6) HDD support:2.5-inch notebook hard drive with SATA or SATA
  - 7) Compatible Model:New models of HP, DELL, ACER, BenQ, Asus, Lenovo, Great Wall and all the IDE drive interfaces (9mm) machine are applicable
  - 8) Following models are confirmed
  - 9) supported perfectly by this bracket: Asus F8VA. Samsung R518. Toshiba dynabook tx/66hbl.HP6535b.HP6930p.HASEEA560
  - 10) Accessories
  - 1 \* 9mm SATA 2nd HDD Caddy
  - 1 \* Screwdriver
  - 4 \* Screws
  - 11) Notes Hard Drive, Bezel and DVD Drive are Not Included
  - 12) Warrantys 12 Months
  - 13) Condition 100% Brand New
- Certificate CE RoHS FCC

## Product Picture













Insert HDD or SSD into drive caddy  
and secure at bottom with the  
4 screws provided



Insert caddy with HDD (or SSD)  
in optical drive bay

