

Product Description



AC Adapter for [ACER](#) 19V 3.42A 65W 5.5X1.7mm from [China esunvalley supplier](#)

Input (input): 100-240V (universal)

Output (output): Voltage: 19V Current: 3.42A

Power (power): 65W

Interface: 5.5*1.7mm

DELL Latitude D800,Inspiron 8500m,8600m battery

DELL Latitude Ls,Inspiron 2100/2800 battery

dopod 565 Silicon Case

NOKIA 7610 silicon case

NOKIA 7260 silicon case

Nokia 3230 Silicon Case

NOKIA 6630 silicon case

Sony Ericsson K750 Silicon Case

NOKIA 7250 silicon case

NOKIA 1100 silicon case

Features:

1. Output short circuit protection
2. overload overvoltage protection filter
3. The use of imported components, high reliability
4. Good anti-jamming capability
5. DC ripple, high efficiency
6. Low temperature, long service life
7. The wide input voltage range, in line with the global standard
8. good insulation properties, high dielectric strength
9. Short circuit, overload, overvoltage protection
10. Full load high temperature burn-in, 100% burn-in test

Product Picture







LITEON

LITE-ON TECHNOLOGY CORPORATION

(電源适配器) AC ADAPTER
(型号/型號) MODEL: PA-1650-02
(輸入/輸入) INPUT: 100-240V ~ 1.6A 50-60Hz
(輸出/輸出) OUTPUT: 19V 3.42A LPS

65W
CAUTION (警告): 請僅用於信息技術設備及室內使用。
(請僅用於資訊產品及室內使用)
FOR USE WITH INFORMATION TECHNOLOGY EQUIPMENT ONLY.
UTILISER AVEC DU MATÉRIEL INFORMATIQUE SEULEMENT.
ENIGAST FÖR KONTORSMASKIN.
APPARATEN SKALL ANSLUTAS TILL JORDAT
UTTAG NÄR DEN ANSLUTS TILL ETT MATVEK.
EFFICIENCY LEVEL ②

ATL CONTROL SYSTEMS
LITE-ON TECHNOLOGY CORPORATION
MODEL: PA-1650-02
S.P.L.N. 2.0 100-240V 50-60Hz 1.6A
S.P.L.N. 2.0 19V 3.42A
LPS
LITE-ON Technology Ltd Power Ltd Plant
S.P.L.N. 02-700-0000
S.P.L.N. 02.0 2010-07-08

LPS 9754
E122048
UL
LR65166C R33275 LITE LISTED
POWER SUPPLY
LEVEL 3

CE

PC N136

N S D FI

CCC

SAFETY MARK
031036-00

DC-E-L48-001.31
(中国制造/中國製造) MADE IN CHINA (B)

acer

GS
TT505

N18152

Rev.:A05
9809107351

AC

FJ

