Product Description

Upgrade Version from ECD818-3DW
1)Material of enclosure: ABS plastic
2)Optional colours: Black and white
3)Size:150*146.5*16MM
4)Weight:150g
5)Can be assemble the 9.5MM DVDRW/DVDRW/Combo/CDROM
6)Support Windows7/8, Linux , Mac 10 OS
7)Support 1.5 Gbps SATA interface standard, I support the highest 3.0 Gbps SATA - II interface standards.
8)Support sleep mode to save power
9)Without driver, plug and play, support hot plug
10)USB3.0 transfer Standard, backward compatible with USB2.0 and steady Data transmission speed.
11)Support 1.5Gbps SATA-I interface standard, maximum support 3.0Gbps SATA-II interface standard.
12)Support sleeping power saved mode.
13)Adopt INIC3609 program.
14)Built-in new standard 9.5 mm deck, 2 MB cassette mechanism.
15)With RoHS, CE certification.

Product Picture

RW
DVD
R/RW

open
High Speed USB3.0 Cable
External ODD&HDD Device
Mode NO.: ECD828-SU3
POWER SUPPLY: DC 5V
MADE IN CHINA
CLASS 1 LASER PRODUCT
LASER KLSSE 1
Tested to comply with FCC Standards
FOR HOME OR OFFICE USE
CAUTION CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN.AVOID EXPOSURE TO THE BEAM.
ATTENTION CLASSE 3B RAYONNEMENT LASER VISIBLE ET INVISIBLE EN CAS D'OUVRITURE.
EXPOSITION DANGEREUSE AU FAISCEAU.
VORSICHT KLASSE 3B SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG.WENN ABDECKUNG GEÖFFNET.
NICHT DEM STRAHL AUSSETZEN.
ADVARSEL KLASSE 3B SYNLIG OG USYNLIG LASERSTRÅLING VED ÅBNING.UNDGÅ UDSÆTTELSE FOR STRÅLING.
ADVARSEL KLASSE 3B SYNLIG OG USYNLIG LASERSTRÅLING NÅR DEKSEL ÅPNES. UNNGÅ EKSPONERING FOR STRÅLEN.
VARNING KLASS 3B SYNLIG OCH OSYNLIG LASERSTRÅLNING NÄR DENNA DEL ÄR ÖPPNAD. STRÅLEN ÄR FARLIG.
VAROI AVATTAESSA OLET ALTTIINA LUOKAN 3B NÄKYVÄLLE JA NÄKYMÄTTÖMÄLLE LASERSÄTEILYLLE.ÄLÄ KATSO SÄTEESEEN.
警告 通电状态下存在肉可见及不可见激光辐射避免暴露地发射器光束下

POP-UP MOBILE EXTERNAL
DVD-RW
3.0 USB
USB3.0 transmission standard, backward compatible with USB2.0, up to a maximum of 5Gbps. Support plug and play.
The data cable adopt the design of embedding into product, the impedance of pure copper mesh technology is low , Shield is strong, data transmission is more stable.