

Product Description



- 1)Material of enclosure: ABS plastic
- 2)Optional colours: Black and white.
- 3)Size:143*146*13.5 mm
- 4)Weight:150g.
- 5)Can be assemble the 9.5MM DVDRW/Combo/CDROM.
- 6)Support Windows, Linux , Mac 10 OS.
- 7)Support 1.5 Gbps SATA interface standard, I support the highest 3.0 Gbps SATA - II interface standards.
- 8)Support sleep mode to save power.
- 9)Without driver, plug and play, support hot plug.
- 10)Adopt INIC3609 program.

Product Picture









External ODD&HDD Device
Model No: EPODD&S1
POWER SUPPLY: DC 5V
Capacity: 16GB
Model No: EPODD&S1

CAUTION: READ MANUAL
DO NOT REMOVE THE DISK FROM THE DRIVE WHILE IT IS RUNNING.
DO NOT OPEN THE DRIVE COVER WHILE IT IS RUNNING.
DO NOT TOUCH THE DISK SURFACE.
DO NOT REMOVE THE DISK FROM THE DRIVE WHILE IT IS RUNNING.
DO NOT OPEN THE DRIVE COVER WHILE IT IS RUNNING.
DO NOT TOUCH THE DISK SURFACE.
DO NOT REMOVE THE DISK FROM THE DRIVE WHILE IT IS RUNNING.
DO NOT OPEN THE DRIVE COVER WHILE IT IS RUNNING.
DO NOT TOUCH THE DISK SURFACE.

HDD



External ODD&HDD Device

Mode NO.: ECD828-SU3
POWER SUPPLY: DC 5V

MADE IN CHINA

CLASS 1 LASER PRODUCT
LASER KLASSE 1




Tested to comply with FCC Standards
FOR HOME, OR OFFICE USE

CAUTION CLASS 1B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN.AVOID EXPOSURE TO THE BEAM.
ATTENTION CLASSE 1B RAYONNEMENT LASER VISIBLE ET INVISIBLE EN CAS D'OUVERTURE.
EXPOSITION DANGEROUSUE AU FASCEAU.
VORSICHT KLASSE 1B SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG.WENN ABDECKUNG GEÖFFNET.
NICHT DEM STRAHLE AUSSETZEN.
ADVARSEL KLASSE 1B SYNLIG OG USYNLIG LASERSTRÅLING VED ÅBNING.UNDGA UDSÆTTELSE FOR STRÅLING.
ADVARSEL KLASSE 1B SYNLIG OG USYNLIG LASERSTRÅLING NÅR DEKSEL ÅPNES. UNNGÅ UDSÆTTELSE FOR STRÅLING.
VARO KLASSE 1B SYNLIG OCH USYNLIG LASERSTRÅLNING NÅR DEKSEL ÅPNAS. ÖPPNING STRÅLEN ÄR FARLIG.
HUHTAESSA OLET ALTIINNA LUOKAN 1B NÄKYVÄLLE JA NÄKYMÄTTÖMÄLLE LASERÄLTYLLE.ÄÄÄ KATSO SÄTEESEEN.
警告 通电状态下有3类可见及不可见激光辐射.避免暴露于激光束下.



POP-UP MOBILE EXTERNAL

DVD-RW



USB3.0 transmission standard, backward compatible with
USB2.0, up to a maximum of 5Gbps. Support plug and play.
The data cable adopt the design of embedding into product, the
impedance of pure copper mesh technology is low, Shield is
strong, data transmission is more stable.