

HD9001-SS 9 mm 2nd hdd caddy Built-in Screwdriver.

1) **Working frequency:** 50 to 60 hz

2) **Power supply:** 5 v / 1 A

3) **Power:** 5 w (maximum)

4) **Working temperature:** 0 to 30 °C

5) **Shell material:** aluminum alloy 1) **Height** 9mm

2) **interface:** SATA(ODD) -13Pin (6+7)(HDD) ,Supports SATA - I/SATA - /
SATA II - III standard.Support the highest transmission rate 6 GBPS.

3) **Bezel:**can meet the original

4) **Size(L*W*H):**130*127*9mm

5) Same as the common optical driver 6) **HDD support:**2.5-inch
notebook hard drive with SATA or SATA 7) **Compatible Model:**New models of
HP, DELL, ACER, BenQ, Asus, Lenovo, Great Wall and all the IDE drive
interfaces (9mm) machine are applicable

8) Following models are confirmed

9) **supported perfectly by this bracket:** Asus F8VA. Samsung R518. Toshiba
dynabook tx/66hbl.HP6535b.HP6930p.HASEEA560

10) **Accessories**

1 * 9mm SATA 2nd HDD Caddy

1 * Screwdriver

4 * Screws

11) **Notes** Hard Drive, Bezel and DVD Drive are Not Included

12) Warrantly 12 Months

13) Condition 100% Brand New

Certificate **CE RoHS FCC**



Laptop 2nd HDD Frame

SERIAL
ATA

Installation method

- 1
- 2
- 3
- 4

Note:

To avoid the damage, pls don't squeeze the HDD when make the installation

HDD







