



**SERIAL  
ATA**

Installation method



Made in China

 HDD



Fragment  
Zerbrechen  
碎玻璃



Do not stop  
the drive rotation  
for 10 seconds after  
power-off.



Do not touch  
the drive surface  
with your fingers.



Do not use  
any tools to  
open the drive.



Read user's manual  
for the correct  
handling of the drive.



304

**HITACHI**  
www.hitachiget.com

CE MIC RoHS

D33373 HDS-HTSS42525K9A30 (B)

HDD: SK250-80  
MODEL: HTS542580K9A300  
SV 700mA DC

5400RPM  
SATA 3.0Gb/s

PRODUCT OF THAILAND TD  
WARRANTY VOID IF ANY LABEL/ AUG-08  
SCREW IS REMOVED OR BROKEN

P/N: 0A56151  
M/N: 5000CCA52FDE333A  
S/N: 080815886803WFJ4EHZF  
MLC: DA2365 A141121

CT: \*2ADRE01F3WF74Y\*


HW/FW/PCB: A C3MP B/B

HPN: 454994-003

SPS-443918-001  
R/C/D Date code: 050638

**SERIAL  
ATA**

Installation method



Made in China

DO NOT COVER  
THIS HOLE =>

Don't shock/  
push cover

FRAGILE

HDD

Highly shockable  
此磁碟机可受冲击

Do not stop  
the spin down timer  
before 10 seconds  
停止 10 秒

Do not push cover  
for the power  
supply connector  
切勿推动电源  
连接器

Avoid contact with  
finger prints  
avoid contact  
with fingerprints  
避免接触指纹

Read user's manual  
for correct system  
operation  
请阅读用户手册  
以正确操作



