

## HDS1201-SS 12.7mm 2nd hdd caddy With Screw\*4

1) Working frequency: 50 to 60 hz

2) **Power supply**: 5V/1A3) **Power**: 5W(maximum)

4) Working temperature: 0 to 30 °C

5) **Shell material**: Aluminum alloy + black plastic shell

 $1 | \mathbf{Height} | 12.7 \mathrm{mm}$ 

2[Interface:SATA(ODD) -13Pin (6+7)(HDD) ,Supports SATA - I/SATA - / SATA

II - III standard. Support the highest transmission rate 6 GBPS.

3**□Bezel**:can meet the original

 $4 \square Size(L*W*H):130*127*12.7mm$ 

5∏Same as the common optical driver

6 HDD support: 2.5-inch notebook hard drive with SATA or SATA

7[Compatible Model:New models of HP, DELL, ACER, BenQ, Asus, Lenovo,

Great Wall and all the IDE drive interfaces (12.7mm) machine are applicable

 $8 \square Following models are confirmed$ 

9**□supported perfectly by this bracket: Asus** F8VA. **Samsung** R518.

Toshiba dynabook tx/66hbl.HP6535b.HP6930p.HASEEA560

10**□Accessories**□

1 \* 12.7mm SATA 2nd HDD Caddy

4 \* Screws

11 Notes Hard Drive, Bezel and DVD Drive are Not Included

12□Warranty 12 Months

13 Condition 100% Brand New

14□Certificate **CE RoHS FCC** 

**Product Picture** 











