

Laptop AC Adapter for Asus 19V 2.37A 45W 5.5X2.5mm**Number** ES-AS516**Input (input):** 100-240V (universal)**Output (output):** Voltage: 19V Current: 2.37A**Power (power):** 45W**Interface:** 5.5X2.5mm

Asus X451M q502I Q501L x551 X552 F451C X452E X451

Features:

1. Output short circuit protection
2. overload overvoltage protection filter
3. The use of imported components, high reliability
4. Good anti-jamming capability
5. DC ripple, high efficiency
6. Low temperature, long service life
7. The wide input voltage range, in line with the global standard
8. good insulation properties, high dielectric strength
9. Short circuit, overload, overvoltage protection
10. Full load high temperature burn-in, 100% burn-in test.









AC ADAPTER

AC Adapter (輸入電圧: 100V-240V / 出力電圧: 5V / 出力電流: 1.0A)
Model: Power Supply Adapter A1794682A
OUTPUT: 5V / 1.0A
For use with information technology equipment.
ATTENTION: Read the instruction manual before use.
CAUTION: Do not touch the metal parts of the power supply.
For use with information technology equipment.
REV-00 Mfg. Evertronix, Inc.

Efficiency Level **II**

UL LISTED (UL 5075) EX2005
UL LISTED (UL 1950) EX2005
JET
GS
FC
CE
RECYCLED

SAFETY MARK
090615-11
UL Recognized Component
UL Catalog # 5075-1120
UL Center 1812-33-376

EXH Made in China
71311110
中国製造