

Multi-Function high speed 5.25 inch media Dashboard front display PC Computer panel interface support for SD/MMC/MD/MS/XD/TF/M2

The latest products of multifunctional CDROM or floppy drive panel from WLX (www.szwlxkj.com)which through use the vacancy of CD-ROM or floppy drive in computer box and extend various utility function interfaces, such as USB3.0 interface, eSATA or SATA interface, 4PIN IDE or DC12V power supply jack, Audio and Card readers etc.

At the same time, the series of products all produced with ABS, they etching on surface, not only durable but also beautiful, they hard to be scraped, anti-rust.

About their materials and accessories, all equipped with high-quality material, not only stable, high speed and safety, but also can make cables in computer box clean and beautiful. The series of WLX driver multifunction extension panels can let your desktop computer shows multi-functional, high performance, fashion and looks like Baghdad from the inside out.







Product Installation



Step 1 insert product console into your 5.25 bay



Step 2 secure product console onto your 5.25 bay




Installation Guide



Connecting the USB3.0 20PIN to interface in motherboard



Connect the card reader USB cable to the USB port on the motherboard



Connect the compatible power connector to your fan Connector



Installation connect the SATA cable to the mainboard



Connect the 4-Pin power connect to your 4-Pin power supply connector



Connect the audio connector to the motherboard



Connect the connector labeled "CPU FAN" to the connector on the CPU Fan





USB 3.0 x 1 (50cm)

SATA x 1 (45cm)



USB 2.0 x 1 (50cm)

Audio x 1 (50cm)

Power x 1 (35cm)



Fan1 x 1 (40cm)

Fan2 x 1 (40cm)

CPU x 1 (45cm)

