

Product Description



Product size: 151 * 145 * 19.5 mm

Material: ABS plastic + aluminum alloy shell

- 1) standard start transmission, backward compatibility USB2.0, support the top 5 GBPS data transfer rate
- 2) support Window2K / 2003 / XP/Vista / 7, Linux, Mac OS 10.
- 3) support 1.5 Gbps SATA interface standard, I support the highest 3.0 Gbps SATA - II interface standards.
- 4) support the INIC3609 methods in sleep mode to save power, compatible with good performance.
- 5) apply to all kinds of brand 12.7 mm SATA DVD RW machine.
- 6) standard USB see Micro Type.

Product features:

- 1, using INIC3609 / INIC3619 scheme
- 2, see the mini interface
- 3, aluminum shell design, a variety of color choices
- 4, built-in new standard 9.5 mm movement, 2 MB cache.

Product Picture









External ODD&HDD Device

Mode NO.: ODP1202
POWER SUPPLY: DC 5V


MADE IN CHINA

CLASS 1 LASER PRODUCT
LASER KLASSE 1

CAUTION CLASS 1B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN.AVOID EXPOSURE TO THE BEAM.
ATTENTION: CLASSE 1B RAYONNEMENT LASER VISIBLE ET INVISIBLE EN CAS D'OUVERTURE.
EXPOSITION DANGEREUSE AU FASCEAU.
VORSICHT: KLASSE 1B SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG, WENN ABDECKUNG GEÖFFNET.
NICHT DEM STRAHL AUSSETZEN.
ADVARSEL: KLASSE 1B SYNLIG OG USYNLIG LASERSTRÅLING VED ÅBNING. UNDGÅ UDSÆTTELSE FOR STRÅLING.
ADVARSEL: KLASSE 1B SYNLIG OG USYNLIG LASERSTRÅLING NÅR DEKSEL ÅPNES. UNNGÅ EKSPONERING FOR STRÅLEN.
VARNING: KLASSE 1B SYNLIG OCH OSYNLIG LASERSTRÅLING NÅR DENNA DEL ÄR ÖPPNAD. STRÅLEN ÄR FARLIG.
VARO: AHKATTAESSA OLET ALETTINA LUOKAN 1B NÄKYVÄLLE JA NÄKYNÄTTÖMÄLLE LASERSÄTELYLLE. ÄLÄ KATSO SÄTTESEEN.
警告: 通电状态下有3类可见及不可见激光辐射, 避免激光直射眼睛。激光下:

EXTERNAL ODD & HDD DEVICE

光驱/硬盘互换



装配简易，通过推出按钮推出光驱或硬盘盒，方便光驱和硬盘盒互换安装。

适用标准12.7mm SATA机芯 / 光驱位硬盘托架装配。

预留 3.5*13mm 加电DC接口。

3.0 USB