

Product Description



Product size: 151 * 145 * 19.5 mm

Material: ABS plastic + aluminum alloy shell
1) standard start transmission, backward compatibility USB2.0, support the top 5 GBPS data transfer rate

2) support Window2K / 2003 / XP/Vista / 7, Linux, Mac OS 10.

3) support 1.5 Gbps SATA interface standard, I support the highest 3.0 Gbps SATA - II interface standards.

4) support the INIC3609 methods in sleep mode to save power, compatible with good performance.

5) apply to all kinds of brand 12.7 mm SATA DVD RW machine.

6) standard USB see Micro Type.

Product features:

1, using INIC3609 / INIC3619 scheme

2, see the mini interface

3, aluminum shell design, a variety of color choices

4, built-in new standard 9.5 mm movement, 2 MB cache.

Product Picture










External ODD&HDD Device
Model NO. OPD102
POWER SUPPLY DC 5V

CLASS 1 LASER PRODUCT
LASER NO. 512825

EXTERNAL ODD & HDD DEVICE

光驱/硬盘互换



搭配底座，通过推出按钮推出光驱或硬盘盒，方便光驱和硬盘盒互换安装。
适用标准12.7mm SATA机芯 / 光驱位硬盘托架装配。
规格：3.5*1.3mm 加电DC接口。



ODP1202-SU3 金色