

9.5mm internal optical drive for laptop

DVD writer drive supporting all existing recordable and rewritable DVD formats is the most common for desktop PCs and laptops. There are also the DVD-ROM drive, BD-ROM drive, Blu-ray Disc combo (BD-ROM/DVD±RW/CD-RW) drive, and Blu-ray Disc writer drive.

This DVD with Model No. UJ830 is a very popular product which fits in most brands models using 9.5 mm.

Model	UJ830	
Type	DVDRW / DVD RW / DVD Burner	
Interface	IDE(PATA)	
Thickness	12.7mm	
Style	Internal	
Load type	Tray load	
Buffer size	2MB	
Specification	Size(L*W*H)	128*9.5 *129mm
	Weight	300g
System requirement	Windows XP sp2 or sp3(update software is coming with the product),Win vista, Win 7, Mac OS8.6 or more high	
Working parameters	<p>Reading speed: DVD-ROM:Max 8X CD-ROM :Max 24X</p> <p>Writing speed: CD-R :Max.24X CD-RW :16X DVD-R :Max.8X DVD-R DL :Max.4X DVD-RW :Max.6X DVD+R :Max.8X DVD+R DL :Max.4X DVD+RW :Max.8X DVD-RAM :3X-5X PCAV (4.7GB)</p>	



W412K 0102000H

0102000H W412K



PARTS No. G8CC00021410

SERIAL NO. 5C8HA150892 TJ7-A

MANUFACTURED: MARCH 2005

Model No. UJ-830B

FW:1.00 HW:1.00

POWER SUPPLY: DC5V

COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21 CFR SUBCHAPTER J, 1301MP

Panasonic Communications Co., Ltd.
1-62, 4-Chome Minoshima Hakata-Ku Fukuoka, Japan

D33083



ET140407

Made in Philippines

JDG50270ZA

DO NOT OPEN THE DRIVE.
NO USER ADJUSTMENT OR
SERVICEABLE PARTS INSIDE.
DO NOT PUSH COVER.

This product is covered by one or more of
the following U.S. Patents:
4,831,884; 4,734,894; 4,791,079; 4,899,871;
4,938,717; 5,148,375; 5,271,403; 5,474,888;
5,577,305; 5,744,025; 5,801,436; 5,988,988;
6,099,384; 6,084,847; 6,108,576; 6,474,327

CAUTION CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID EXPOSURE TO BEAM.
ATTENTION CLASSE 3B RAYONNEMENT LASER VISIBLE ET INVISIBLE EN CAS D'OUVERTURE.
EXPOSITION DANGEREUSE AU FAISCEAU.
VORSICHT KLASSE 3B SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG, WENN ABDECKUNG GEÖFFNET.
NICHT DEM STRAHL AUSSETZEN.
ADVARSEL KLASSE 3B SYNLIS OG USYNLIS LASERSTRÅLING VED ÅBNING. UNDGÅ UDSETTELSE FOR STRÅLING.
ADVARSEL KLASSE 3B SYNLIS OG USYNLIS LASERSTRÅLING NÅR DEKKEL ÅPNES. UNDGÅ EKSPONERING FOR STRÅLING.
VARNING KLASSE 3B SYNLIG OCH OSYNLIG LASERSTRÅLNING NÄR DENNA DEL ÅR ÖPPNAD. STRÅLNING ÄR FARLIG.
VARO! KLASSE 3B NÄHTYLÄÄ NÄHTYLÄÄ NÄHTYLÄÄ OLET ALTTIINA LASERISÄTELYLLE. ÄLÄ KATSO SÄTELYKSI.



