





Laptop 2nd SSD Frame  
SERIAL ATA-III

mSATA 30\*30

M.2(NGFF) 22\*30

mSATA 30\*50

M.2(NGFF) 22\*42

mSATA 30\*70

M.2(NGFF) 22\*60

M.2(NGFF) 22\*80

Note:  
To avoid the damage, pls don't squeeze  
the SSD when make the installation

MADE IN CHINA




Laptop 2nd SSD Frame  
SERIAL ATA-III



Note:  
TO avoid the damage, pls don't squeeze  
the SSD when make the installation


MADE IN CHINA



















SERIAL ATA-III

- mSATA SSD
- M.2(NGFF) SSD

# LAPTOP 2ND SSD FRAME

Laptop 2nd SSD Frame  
SERIAL ATA-III



Note:  
TO avoid the damage ,pls don' t squeeze  
the SSD when make the installation

# Second SSD Caddy

- mSATA SSD
- M.2 (NGFF) SSD

## 说明介绍 Introduction:

本产品适应安装mSATA/M.2(NGFF)SSD固态硬盘。当同时安装mSATA/M.2(NGFF)SSD时，只能读写M.2(NGFF)SSD硬盘。支持最高6Gbps数据传输率。

This product is suitable to install mSATA or M.2 (NGFF) SSD hard disk storage card. And can only read and write M.2 (NGFF) SSD hard drive at the same time, it supports the highest 6Gbps data transmission rate.


## 安装说明 Installation Method:

1. 取出卡扣螺丝刀。
2. 安装指定mSATA或M.2(NGFF)SSD硬盘并锁紧螺丝固定。
3. 卡扣螺丝刀安装到硬盘托架内。
4. 将安装好mSATA或M.2(NGFF)SSD硬盘托架安装到指定的光驱位。

1. Remove the buckle and a screwdriver.
2. Install the specified mSATA or M.2 (NGFF) SSD hard drive and locking screws.
3. Install the buckle and screwdriver into the hard drive bay.
4. Install mSATA or M.2 (NGFF) SSD hard drive bay into the specified location.



mSATA M.2(NGFF)



FC RoHS CE



SERIAL ATA-III

MADE IN CHINA