

Высокопроцессорный лоток SATA с 8X, 12, 7 мм, Загрузка внутреннего двдрв дисковод для уж141

Устройство записи DVD-дисков, поддерживающее все существующие записываемые и перезаписываемые форматы DVD, является наиболее распространенным для настольных ПК и ноутбуков. Кроме того, имеется дисковод DVD-ROM, дисковод BD-ROM, комбинированный диск Blu-Ray (CD-ROM/DVD + RW/CD-RW) и дисковод для записи дисков Blu-Ray.

Этот DVD-диск с моделью No. Уж141 является очень популярным продуктом, который подходит для большинства торговых марок с использованием 12, 7 мм.

	E-sun Technology group Co.,Ltd	
Model	UJ141	
Type	Blu-ray COMBO / BD-ROM DVD	
Interface	SATA	
Thickness	12.7mm	
Style	Internal	
Load type	Tray load	
Buffer size	2MB	
Specification	Size(L*W*H)	128*12.7*129mm
	Weight	300g
System requirement	Windows XP sp2 or sp3(update software is coming with the product),Win vista, Win 7, Mac OS8.6 or more high	
	Reading speed:	
	DVD-ROM:Max 8X	
	BD-ROM:Max 6X	
	CD-ROM :Max 24X	
	Writing speed:	
	CD-R :Max.24X	
	CD-RW :16X	
Working parameters	High Speed CD-RW :10X	
	Ultra Speed CD-RW :No Support	
	DVD-R :Max.8X	
	DVD-R DL :Max.4X	
	DVD-RW :Max.6X	
	DVD+R :Max.8X	
	DVD+R DL :Max.4X	
	DVD+RW :Max.8X	
	DVD-RAM :3X-5X PCAV (4.7GB)	





MANUFACTURED:
FEBRUARY 2011



SERIAL NO. 1BJWA504141 ELTJF-A

Model No. UJ141

POWER SUPPLY : DC5V
COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21 CFR SUBCHAPTER J. 139FCF
HW:1.00 FW:1.00

Panasonic System Networks Co., Ltd.
1-62-4-Chome Minamihama Makasa-Ku Fukuoka, Japan

CLASS 1 LASER PRODUCT
LASER CLASS 1



CAUTION CLASS 1 LASER PRODUCT
DO NOT OPEN THE DRIVE
DO NOT PUSH COVER

DO NOT OPEN THE DRIVE
DO NOT USER ADJUSTMENT OR
SERVICABLE PARTS INSIDE.
DO NOT PUSH COVER